McCABE

Special Folding and Accordion Door Hangers

THIS booklet is primarily intended for those who are interested in and responsible for satisfactory and serviceable Accordion and Folding Door Hangers.

It is our firm belief based on evidence and a quarter of a century of experience that McCabe Hangers are a solution for Folding Door problems.

Our staff will be glad to assist you and we trust the following pages may be of service.

The McCabe Hanger Mfg. Co.

425-27 WEST 25th STREET, NEW YORK, N. Y., U. S. A.







SECTION HEAD

Accordion or Folding Door Hanger

BALL BEARING SWIVELED CARRIAGE

PRICE LIST

	Code Word	*List*
Accordion Carriages No. 71	Dollar	$3.00
Accordion Carriages No. 72	Drama	3.50
Accordion Carriages No. 73	Draft	4.00
		Per Ft.
No. 1 Accordion Track, with adjustable brackets arranged for carrying the load	Domino	.75
No. 2 Accordion Track, with adjustable brackets arranged for carrying the load	Dymano	.75
No. 3 Track, with adjustable brackets arranged for carrying the load	Guinea	1.25

No. 1 Track and Carriage No. 71 for 1½ in. doors.
No. 2 Track and Carriage No. 72 for 1¾ in. doors.
No. 3 Track and Carriage No. 73 for 2 in. to 2½ in. doors.

(When ordering, be careful to give the exact thickness of doors.)

NOTE—On the above cut the two adjustments—on the Pendent Bolt of the Carriage, also on the Brackets.





Any number of doors may be placed in the opening, commencing with a one-half door hinged to jamb at either side of the opening.

This half door must be exactly one-half the width of the other doors less the throw of hinge.

There should be one carriage on each alternate door only, and this carriage should be placed on the exact center of the top rail of the door (see cut). To accomplish this, it is best to hinge the doors together, fold them and strike a line across the centers and set carriage on this line; then when the doors are hung and folded back the hangers will be in perfect alignment and work easily. While we have successfully hung doors of much greater weights than 100 pounds, we recommend that the doors should not exceed this amount if possible, as a carriage is used on each alternate door only, and when the door is folded the entire weight is concentrated on a few inches of track.

Doors should not exceed 3 feet in width, if possible.

HEAD ROOM—Distance from upper side of jamb head to under side of header: No. 1 and 2 Track is 4½ inches, No. 3 Track is 6½ inches (see cut on opposite page). For doors of all same width, see following pages.

Full-size details sent on request.



The McCabe Special Folding Door Hanger No. 402

For Doors All of One Width

No Flush Bolts Required

For hanging Folding Doors where the ordinary Accordion door hanger cannot be used.





PRICE LIST

	Per Ft.
Overhead Track with Brackets	$ .75
Floor Channel	.30
	Each
Overhead Carriages	4.50
Floor Guides	2.50
Pivots, per set	3.00

When ordering, state full width of opening, width, thickness and weight of doors.


PIVOT
PIVOT
TOP GUIDE TO HERE ONLY
HANGER OR TOP ROLLER GUIDE
HANGER OR TOP ROLLER GUIDE
BOTTOM CARRIAGE OR GUIDE
BOTTOM CARRIAGE OR GUIDE
4 3 2 1
A B C
PLAN AND ELEVATION
SHOWING DOORS PARTLY OPENED
NOTE:- PAIR NO. 1 FOLDS UP FIRST
BALANCE OF DOORS SLIDE TO POINT "C" AND PAIR NO. 2 FOLDS UP
BALANCE OF DOORS SLIDE TO POINT "B" AND PAIR NO. 3 FOLDS UP Etc.
NOTE:- ALL DOORS MUST BE SAME WIDTH

PLAN AND ELEVATION FOR No. 402 AND No. 405 HANGERS
(See head section and pivots on last page.)



The McCabe Folding Door Hanger No. 405

For Full Width Doors Rolling on Floor—No Flush Bolts Required

(See details on preceding page.)





PRICE LIST	*Per Ft.*
Floor Track	$ .40
Overhead Channel	.30
	Each
Bottom Carriage	6.00
Overhead Guides.	2.50
Pivots, per set	3.00


No.72 Hanger for 1 3/8" Doors 4 1/2"
No.73 Hanger for 2" Doors 6"
No.71 Hanger No.1 Track for 1 3/8 - 1 1/2 in. Doors 4 1/2"
TOP ROLLER GUIDE
TOP GUIDE
TOP GUIDE
TYPE 402
TOP GUIDE EXTENDS FULL WIDTH OF OPENINGS LESS WIDTH OF TWO DOORS LESS COMBINED THICKNESS OF ALL DOORS LESS COMBINED THROW OF HINGES OR PIVOT
TYPE 405
BOTTOM ROLLER GUIDE AND TRACK
BOTTOM CARRIAGE AND TRACK
FINISHED FLOOR LINE

Type No. 402—Used on doors where the regular Accordion Hanger cannot be used. On this type door the carriage is placed on the end of the door, instead of the center, as in the Accordion type. The Accordion track is used at the top with the Accordion carriage; the bottom of the door has ball bearing guide, which runs in special pressed steel channel in the floor.



Type No. 405—Used on doors the same as the No. 402 type, with the exception that the doors roll on the floor and guide overhead. This type is used where head room is limited and construction is not strong enough to carry doors.

On the above types, as noted by the cut and plan on the preceding pages, all doors are hinged together, making the opening and closing of the partitions much quicker for the reason that the operator stands at the jamb side of the opening where the doors fold up and is able from this position to open and close the doors, saving the extra walking back and forth across the opening.



Door should not exceed 3 feet in width.

Manufacturers of

All Types

of

Sliding and Folding

Door Hangers

McCABE HANGER MFG. CO.
NEW YORK
WRITE FOR INFORMATION